



### Technical Data

<b>9.95</b> Weight Lbs/Gal @ 68°F	<b>1.193</b> Specific Gravity	<b>6.4</b> pH @ 68°F	<b>21°F</b> Freeze Point
--------------------------------------	----------------------------------	-------------------------	-----------------------------

### DIRECTIONS FOR USE

Calivivo® Select Potassium can be used in virtually any cropping situation where potassium is recommended. Calivivo Select Potassium should be used under normal planting conditions, where soil temperatures permit proper germination.

#### Calivivo Select Potassium can be applied:

- broadcast with versatile planter placement options
- band placement away from the seed
- as a topdress
- as a sidedress
- through fertigation

In general, where liquid fertilizers such as Calivivo Select Potassium are applied in horticultural crop production, it is customary to split the seasonal fertilizer needs into a number of smaller applications. In this case, Calivivo Select Potassium may be used for early-season potassium, while AgroLiquid Sure-K® may be more appropriate for mid- and late-season application. Kalibrate is not recommended as a foliar

### USE RATE SUMMARY TABLE

At Planting Application Rates	gal/A
Vegetables and Fruit Crops	0–10
Orchards and Vineyards	Not Recommended
Field and Row Crops	0–20
In-Season Application Rates—Per Applicaton	gal/A
Vegetables and Fruit Crops	0–10 Sidedress or Fertigation
Orchards and Vineyards	0–8 Soil Application or Fertigation
Field and Row Crops	0–20 Sidedress or Fertigation
Foliar Application Rates—Per Applicaton	gal/A
Vegetables and Fruit Crops	Not Recommended
Orchards and Vineyards	Not Recommended
Field and Row Crops	0-3*

\*Please consult with an AgroLiquid Sales Account Manager or Agronomist for further direction when applying Calivivo Select Potassium as a foliar treatment at use rates higher than 3 gallons per acre.

### Composition Guaranteed Analysis

<b>Total Nitrogen (N)</b> <b>3.00%</b> 3.0% Urea Nitrogen
<b>Sulfur (S)</b> <b>3.50%</b> 3.50% Combined Sulfur
<b>Soluble Potash (K<sub>2</sub>O)</b> <b>12.00%</b>
<b>Calcium (Ca)</b> <b>0.50%</b>

Derived from: Urea, Potassium Carbonate, Calcium Sulfate



Guaranteed by: **AgroLiquid**  
Division of COG Marketers, Ltd.  
3055 W M-21  
St. Johns, MI 48879  
[agroliquid.com](http://agroliquid.com)



Calivivo Select Potassium is a safe and versatile potassium solution. It provides in-season potassium that is readily taken up by the plant, despite challenging soil conditions. Its chloride- and hydroxide-free formulation also makes it safe to apply via any application method, but it is specially formulated to be soil applied via irrigation or mechanical means.

**DIRECTIONS FOR USE GENERAL GUIDELINES**

For proper agronomic application rates suitable for your geographical area or the maximum allowable non-nutrient application rate per acre, consult a trained soil specialist at AgroLiquid or call or write to AgroLiquid with the address provided.

**Broadcast, or banded\* not less than 2" from the seed furrow, surface banded, or applied through drip irrigation at the base of the plant**

**RATE: 1–20 gal/A**

Corn, Canola, Wheat, Potato, Alfalfa, Cotton, Sugarbeet



**RATE: 3–5 gal/A**

Grapes



*\*Please consult with an AgroLiquid Sales Account Manager or Agronomist when surface banding Calivivo Select Nitrogen.*

**In-Season Soil Application Use Rate Per Application**

**Corn**  
Sidedress;  
**RATE: 1-20 gal/A**

**Cotton**  
Sidedress;  
**RATE: 1-10 gal/A**

**Sugarbeet**  
Sidedress;  
**RATE: 1-10 gal/A**

**Small Grains**  
Topdress up to growth stage Feekes 4;  
**RATE: 3-5 gal/A**

**Potato**  
Sidedress or fertigation;  
**RATE: 1-10 gal/A**

**Alfalfa**  
Broadcast prior to or within 14 days after spring green-up and/or 0-7 days after cutting;  
**RATE: 1-20 gal/A**

**Grapes**  
Broadcast, surface banded or through drip irrigation during the growing season;  
**RATE: 3-5 gal/A**

**Tomato**  
Banded or through drip irrigation during the growing season;  
**RATE: 3-5 gal/A**

**Tree Nuts**  
Banded or through drip irrigation during the growing season;  
**RATE: 3-8 gal/A**

**Other Tree Fruits**  
Banded or through drip irrigation during the growing season;  
**RATE: 3-8 gal/A**

**Vegetables**  
Broadcast, surface banded or through drip irrigation during the growing season;  
**RATE: 3-5 gal/A**

Please consult with an AgroLiquid Sales Account Manager or Agronomist for further direction when utilizing rates higher than the lower limit of the given range.  
NOTE: Information regarding the contents and levels of metals in this product is available online at <http://www.aapfco.org/metals.html>



**Guaranteed by: AgroLiquid**  
Division of COG Marketers, Ltd.  
3055 W M-21  
St. Johns, MI 48879  
[agroliquid.com](http://agroliquid.com)



**GS07**  
**WARNING - Irritant: Eyes, Skin**